

ISO 9001

Management System Certificate

Certificate Number : JQA-1283

Organization :

POLYPLASTICS CO., LTD.

JR SHINAGAWA EAST BUILDING 13F, 18-1 KONAN 2-CHOME, MINATO-KU,
TOKYO, JAPAN



091

JQA certifies that the above organization operates the Quality Management System, within the scope of the Appendix attached, which has been assessed and found to comply with the requirements of;

ISO 9001 :2015 / JIS Q 9001 :2015

Registration Date : May 24, 1996
Last Renewal Date : November 15, 2020

Expiry Date : November 14, 2023

Feel free to contact JQA for the validity of this certificate.

N. Kobayashi

NORIAKI KOBAYASHI
PRESIDENT

1-25 KANDASUDACHO, CHIYODA-KU, TOKYO, JAPAN

JAPAN QUALITY ASSURANCE ORGANIZATION

To be used in conjunction with attached Appendix.



20.06 D7501128E

ISO 9001

Appendix



Certificate Number : JQA-1283

1 / 1

Organization :

POLYPLASTICS CO., LTD.

Scope of Registration:

THE DESIGN / DEVELOPMENT, MANUFACTURE AND SALES OF FOLLOWING PRODUCTS.

1. POM (POLYOXYMETHYLENE) RESIN
 2. PBT (POLYBUTYLENE TEREPHTHALATE) RESIN
 3. PPS (POLYPHENYLENE SULFIDE) RESIN
 4. LCP (LIQUID CRYSTALLINE POLYMER)
 5. GF-PET (GLASS FIBER REINFORCED POLYETHYLENE TEREPHTHALATE)
- AND DESIGN / DEVELOPMENT AND SALES OF FOLLOWING PRODUCTS
6. COC (CYCLIC OLEFIN COPOLYMER) RESIN

ASSOCIATED ORGANIZATION:

·SUPPLY DIVISION (FUJI PLANT, LOGISTICS CENTER, ETC.)

973 MIYAJIMA, FUJI, SHIZUOKA, JAPAN
[MANUFACTURING].

·RESEARCH AND DEVELOPMENT DIVISION

973 MIYAJIMA, FUJI, SHIZUOKA, JAPAN
[DESIGN / DEVELOPMENT].

·OSAKA BRANCH

GRAND FRONT OSAKA TOWER B 31F, 3-1 OFUKA-CHO, KITA-KU, OSAKA, JAPAN

·NAGOYA BRANCH

JP TOWER NAGOYA BUILDING 25F, 1-1 MEIEKI 1-CHOME, NAKAMURA-KU, NAGOYA,
AICHI, JAPAN
[SALES].

Registration Date : May 24, 1996

Last Renewal Date : November 15, 2020

Expiry Date : November 14, 2023

Feel free to contact JQA for the validity of this certificate.

A handwritten signature in black ink, reading "N. Kobayashi".

NORIAKI KOBAYASHI
PRESIDENT

JAPAN QUALITY ASSURANCE ORGANIZATION

This Appendix is an integral part of the Certificate and should only
be used in conjunction with the Certificate.

